

D-Sub



Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm
Female screw locks with nut Thread UNC/UNC Thread UNC/M3 Thread UNC/UNC	9-50 9-50 9-50	09 67 000 9922 ¹⁾ 09 67 000 9924 ¹⁾ 09 67 000 9973 ¹⁾		
Male screw locks for use without hood	9-37 50	09 67 001 9969 ¹⁾ 09 67 001 9970 ¹⁾		
Hex extender Thread 4-40 UNC Thread M3	9-50 9-50	09 67 001 9985 09 67 002 9120		
U-Clip with thread 4-40 UNC	9-50	09 67 001 9928 ¹⁾		
with thread 4-40 UNC and screw-lock	9-50	09 67 002 9030 ¹⁾		

D-Sub - A

¹⁾ Order 2 for each connector

D-Sub

Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm																														
Dust cap black thermoplastic	for male connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.0</td> <td>22.40</td> </tr> <tr> <td>15</td> <td>25.3</td> <td>30.80</td> </tr> <tr> <td>25</td> <td>38.9</td> <td>44.40</td> </tr> <tr> <td>37</td> <td>55.4</td> <td>60.75</td> </tr> </tbody> </table>		A	B	9	17.0	22.40	15	25.3	30.80	25	38.9	44.40	37	55.4	60.75															
					A	B																												
		9			17.0	22.40																												
		15			25.3	30.80																												
	25	38.9	44.40																															
	37	55.4	60.75																															
	15	09 67 015 0611																																
	25	09 67 025 0611																																
	37	09 67 037 0611																																
	for female connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>16.0</td> <td>22.5</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>31.0</td> </tr> <tr> <td>25</td> <td>37.8</td> <td>44.3</td> </tr> <tr> <td>37</td> <td>54.3</td> <td>60.8</td> </tr> </tbody> </table>		A	B	9	16.0	22.5	15	24.4	31.0	25	37.8	44.3	37	54.3	60.8															
					A	B																												
		9			16.0	22.5																												
15		24.4			31.0																													
25	37.8	44.3																																
37	54.3	60.8																																
15	09 67 015 0711																																	
25	09 67 025 0711																																	
37	09 67 037 0711																																	
antistatic black thermoplastic	for male connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>50</td> <td>53.9</td> <td>57.8</td> <td>15.9</td> <td>11.7</td> </tr> </tbody> </table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7
					A	B	C	D																										
		9			17.7	21.8	13.2	9.1																										
		15			26.0	30.0	13.2	9.1																										
	25	40.0	44.2	13.2	9.1																													
	37	56.4	59.8	13.2	9.1																													
	50	53.9	57.8	15.9	11.7																													
	15	09 67 015 0612																																
	25	09 67 025 0612																																
	37	09 67 037 0612																																
	50	09 67 050 0612																																
	for female connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.6</td> <td>56.2</td> <td>14.5</td> <td>10.5</td> </tr> </tbody> </table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5
		A			B	C	D																											
9		15.9			20.0	11.8	7.8																											
15		24.4			28.5	11.8	7.8																											
25	38.3	42.3	11.8	7.8																														
37	54.7	58.8	11.8	7.8																														
50	52.6	56.2	14.5	10.5																														
15	09 67 015 0712																																	
25	09 67 025 0712																																	
37	09 67 037 0712																																	
50	09 67 050 0712																																	
UL 94 V0 grey thermoplastic	for male connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>50</td> <td>53.9</td> <td>57.8</td> <td>15.9</td> <td>11.7</td> </tr> </tbody> </table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7
					A	B	C	D																										
		9			17.7	21.8	13.2	9.1																										
		15			26.0	30.0	13.2	9.1																										
	25	40.0	44.2	13.2	9.1																													
	37	56.4	59.8	13.2	9.1																													
	50	53.9	57.8	15.9	11.7																													
	15	09 67 015 0613																																
	25	09 67 025 0613																																
	37	09 67 037 0613																																
	50	09 67 050 0613																																
	for female connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.6</td> <td>56.2</td> <td>14.5</td> <td>10.5</td> </tr> </tbody> </table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5
		A			B	C	D																											
9		15.9			20.0	11.8	7.8																											
15		24.4			28.5	11.8	7.8																											
25	38.3	42.3	11.8	7.8																														
37	54.7	58.8	11.8	7.8																														
50	52.6	56.2	14.5	10.5																														
15	09 67 015 0713																																	
25	09 67 025 0713																																	
37	09 67 037 0713																																	
50	09 67 050 0713																																	

D-Sub-A

D-Sub



Accessories

Identification	No. of contacts	Part No.	Drawing	Dimensions in mm																														
Dust cap metallized thermoplastic	for male connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.7</td> <td>21.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>15</td> <td>26.0</td> <td>30.0</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>25</td> <td>40.0</td> <td>44.2</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>37</td> <td>56.4</td> <td>59.8</td> <td>13.2</td> <td>9.1</td> </tr> <tr> <td>50</td> <td>53.9</td> <td>57.8</td> <td>15.9</td> <td>11.7</td> </tr> </tbody> </table>		A	B	C	D	9	17.7	21.8	13.2	9.1	15	26.0	30.0	13.2	9.1	25	40.0	44.2	13.2	9.1	37	56.4	59.8	13.2	9.1	50	53.9	57.8	15.9	11.7
					A	B	C	D																										
		9			17.7	21.8	13.2	9.1																										
		15			26.0	30.0	13.2	9.1																										
		25			40.0	44.2	13.2	9.1																										
	37	56.4			59.8	13.2	9.1																											
	50	53.9			57.8	15.9	11.7																											
	15	09 67 015 0614																																
	25	09 67 025 0614																																
	37	09 67 037 0614																																
50	09 67 050 0614																																	
for female connector	9	09 67 009 0714		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>15.9</td> <td>20.0</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.4</td> <td>28.5</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.3</td> <td>42.3</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.7</td> <td>58.8</td> <td>11.8</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.6</td> <td>56.2</td> <td>14.5</td> <td>10.5</td> </tr> </tbody> </table>		A	B	C	D	9	15.9	20.0	11.8	7.8	15	24.4	28.5	11.8	7.8	25	38.3	42.3	11.8	7.8	37	54.7	58.8	11.8	7.8	50	52.6	56.2	14.5	10.5
		A			B	C	D																											
	9	15.9			20.0	11.8	7.8																											
	15	24.4			28.5	11.8	7.8																											
	25	38.3			42.3	11.8	7.8																											
37	54.7	58.8			11.8	7.8																												
50	52.6	56.2			14.5	10.5																												
15	09 67 015 0714																																	
25	09 67 025 0714																																	
37	09 67 037 0714																																	
50	09 67 050 0714																																	
metallized thermoplastic with chain	for male connector	9		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>17.5</td> <td>19.6</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>15</td> <td>25.7</td> <td>27.8</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>25</td> <td>39.6</td> <td>41.8</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>37</td> <td>55.7</td> <td>57.4</td> <td>11.1</td> <td>9.2</td> </tr> <tr> <td>50</td> <td>53.4</td> <td>55.3</td> <td>13.8</td> <td>11.9</td> </tr> </tbody> </table>		A	B	C	D	9	17.5	19.6	11.1	9.2	15	25.7	27.8	11.1	9.2	25	39.6	41.8	11.1	9.2	37	55.7	57.4	11.1	9.2	50	53.4	55.3	13.8	11.9
					A	B	C	D																										
		9			17.5	19.6	11.1	9.2																										
		15			25.7	27.8	11.1	9.2																										
		25			39.6	41.8	11.1	9.2																										
	37	55.7			57.4	11.1	9.2																											
	50	53.4			55.3	13.8	11.9																											
	15	09 67 015 0615																																
	25	09 67 025 0615																																
	37	09 67 037 0615																																
50	09 67 050 0615																																	
for female connector	9	09 67 009 0715		<table border="1"> <thead> <tr> <th></th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>9</td> <td>16.2</td> <td>18.0</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>15</td> <td>24.6</td> <td>26.4</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>25</td> <td>38.4</td> <td>40.2</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>37</td> <td>54.4</td> <td>56.2</td> <td>9.6</td> <td>7.8</td> </tr> <tr> <td>50</td> <td>52.0</td> <td>53.7</td> <td>12.2</td> <td>10.4</td> </tr> </tbody> </table>		A	B	C	D	9	16.2	18.0	9.6	7.8	15	24.6	26.4	9.6	7.8	25	38.4	40.2	9.6	7.8	37	54.4	56.2	9.6	7.8	50	52.0	53.7	12.2	10.4
		A			B	C	D																											
	9	16.2			18.0	9.6	7.8																											
	15	24.6			26.4	9.6	7.8																											
	25	38.4			40.2	9.6	7.8																											
37	54.4	56.2			9.6	7.8																												
50	52.0	53.7			12.2	10.4																												
15	09 67 015 0715																																	
25	09 67 025 0715																																	
37	09 67 037 0715																																	
50	09 67 050 0715																																	

D-Sub - A

Notes

A large, empty yellow grid area intended for taking notes. The grid consists of small, uniform squares.

D-Sub - A