

SEK



Specific tooling for SEK male standard

Identification	Part No.	Drawing	Dimensions in mm
<p>Top tool for SEK standard connectors</p> <p>10 way 09 99 000 0710 14 way 09 99 000 0714 16 way 09 99 000 0716 20 way 09 99 000 0720 26 way 09 99 000 0726 34 way 09 99 000 0734 40 way 09 99 000 0740 50 way 09 99 000 0750 60 way 09 99 000 0760 64 way 09 99 000 0764</p>		<p>X Length depends on number of contacts</p>	

Tooling
press-in

SEK



Specific tooling for SEK male low-profile

Identification	Part No.	Drawing	Dimensions in mm
Bottom tool narrow for SEK	09 99 000 0256		
Top tool for SEK male low-profile connectors	6 way 09 99 000 0 06 10 way 09 99 000 0 10 14 way 09 99 000 0 14 16 way 09 99 000 0 16 20 way 09 99 000 0 20 26 way 09 99 000 0 26 34 way 09 99 000 0 34 40 way 09 99 000 0 40 50 way 09 99 000 0 50 60 way 09 99 000 0 60 64 way 09 99 000 0 64	Top tool including insert X Length depends on number of contacts	
Top tool including insert ➤ 4 Modular insert ➤ 5		Modular insert 	
Press-out tool for complete SEK male connectors with 5.5 mm terminations	09 99 000 0220		
Support block	09 99 000 0218		

* Further versions on request